

R

8

Õ

2.

YOUR WORK. YOUR VEHICLE. TRUST

1

RUY





卵

KNAPHEIDE KUV

Working out of a Knapheide KUV keeps you organized and productive. Large perimeter bins are easy to access and keep your parts and tools separated into easy to manage spaces.

The Knapheide KUV is available in multiple heights and lengths for different applications. It is designed to increase productivity and efficiency through better organization of parts and equipment for specialty contractors including plumbers, HVACR technicians, electricians, and more. No more looking for what you need, just grab and go!

STANDARD FEATURES

- A Double panel rear cargo doors lock and seal into the body frame. These 20 gauge galvanneal steel doors have nitrogen gas struts, slam latches, and 9"x30" glass windows with guards.
- B Two conduit chutes to transport copper pipes, PVC, and conduit (1 shelf per chute on 129SUK, 2 shelves per chute on all other bodies)
- **C** Master Locking System for peace of mind, locks down all of the side compartments in one move
- D Rear vertical compartment contains 1 adjustable divider shelf warranted to hold up to 250 lbs.
- **E** Vertical compartment doors employ double spring-loaded, over-center retainers for elimination of involuntary swing.
- F Horizontal compartment contains 1 adjustable divider shelf to hold up to 250 lbs. (passenger side only)
- G Automotive door seals for protecting your tools and parts from the elements





T

J.

CARGO AREA AND CONDUIT CHUTE CAPACITY: 10' in the 129" bodies 12' in the 153" bodies

KUV129SUK will fit inside an 8 ft. tall residential garage.

- H Front vertical compartments contain 2 adjustable divider shelves warranted to hold up to 250 lbs. each
- "Pry-Proof" stainless steel hinges for security
- Refined, automotive quality, paddle activated rotary style latches make opening and closing easy. Low maintenance and stylish, the latches are covered under Knapheide's six year warranty.

Interior covers secure the latch to the door and protects latch mechanisms from being damaged.

- K Spacious cargo storage area for transporting drywall, larger tools, water heaters and oversized items
- L Sliding cab access door window can be locked from the cab and secured in either an open or closed position

- M Two interior dome lights in cargo area with light switch inside the cargo doors
- N Complete immersion in Knapheide's electrodeposition prime paint system for superior corrosion resistance
- Flat panel space provides rolling billboard to promote business
- P Aerodynamic wind deflector mounted on body above cab (all models except for the KUV129SUK and KUV129SLK)

Other features (not pictured):

- All compartments can be locked independently for maximum security
- Aluminum fuel fill
- Grab handle (right rear)

SPECIFICATIONS

Chassis			Model Specifications				Combined	
Chassis Model	Wheel Base	Chassis Weight (Ibs.)¹	Body Model	Bulk Cargo Area (cu. ft.)	Total Storage (cu. ft.)	Compartment Area (cu. ft.)	GVWR (lbs.)	Payload (lbs.)²
E-350	138"	4,782	KUV129SUK	265	335	70	10,050	2,971
E-350	138"	4,782	KUV129SLK	318	388	70	10,050	2,719
E-350	138"	4,782	KUV129SHK	403	473	70	10,050	2,619
E-350	138"	5,059	KUV129DLK	355	425	70	11,500	3,792
E-350	138"	5,059	KUV129D20LK	329	425	96	11,500	3,792
E-350	138"	5,059	KUV129DHK	422	492	70	11,500	3,701
E-350	138"	5,059	KUV129D20HK	396	492	96	11,500	3,701
E-450	158"	5,354	KUV153DLK	421	506	85	14,500	6,108
E-450	158"	5,354	KUV153D20LK	389	506	117	14,500	6,108
E-450	158"	5,354	KUV153DHK	500	585	85	14,500	5,977
E-450	158"	5,354	KUV153D20HK	468	585	117	14,500	6,977

¹Chassis weight calculated with gas engine (5.4L in E-350 and 6.8L in E-450). Optional engines and other chassis may effect chassis weight.

² Final payload calculation subject to chassis and body options.

25.25

KUV153DHK

- 52.75 -


21.00

20.00-34.25-

* "S" model denotes single rear wheel with 14.5" deep compartments.

** "D" model denotes dual rear wheel with 14.5" deep compartments.

*** "D20" model denotes dual rear wheel with 20" deep compartments.



- 25.25

14.50

60.85 CLEAR

94.00

14.50

14.50-

60.85 CLEAR

65.00

14.50

- 34.25 - 20.00 - 21.00

100.00 CA

-153.25

POPULAR OPTIONS



Power Locks



Codeable Padlock



Rear Vision Camera



Aluminum Drawers



Upper Side Glass



Sortimo





Knapliner Rear Bumper



Pull Out Tray



Power Liftgate



Class V Receiver Hitch



LED Compartment Lighting



Spitzlift

Power Ladder Rack





Side Access Door



Mechanics Vise Bracket

3 Bow Ladder Rack



Side Mount Ladder Rack









COMMITMENT TO CORROSION RESISTANCE

Corrosion shouldn't be a concern when you buy quality Knapheide products. To give you the best protection from corrosion, we installed our state-of-the-art, customdesigned electrodeposition prime paint system.

Our E-coat system bonds prime paint to steel by an electroplating process, to give you a superior coat of primer resulting in better corrosion protection compared to spraying methods. Complete immersion in our E-coat results in a prime coat that provides the best chemical and solvent resistance.

Because of our commitment to corrosion resistance, you should never worry about the quality of your Knapheide products.





SINCE 1848 The Knapheide Manufacturing Company

1848 Westphalia Strasse | Quincy, Illinois 62305 (217) 222-7131

www.knapheide.com

knapheide@knapheide.com

For more information:





Since 1848, The Knapheide Manufacturing Company has continued to be an industry leader, with a vast distribution network and expert staff ready to help.

L63F 10M 0415 L

Specifications subject to change without notice. Some models shown with optional equipment.