



.

.

KUY



CANCER OF THE STREET



1



KNAPHEIDE KUV

Working out of a Knapheide KUV keeps you organized and productive. Large perimeter bins are easy to access and keep your parts and tools separated into easy to manage spaces.

The Knapheide KUV is available in multiple heights and lengths for different applications. It is designed to increase productivity and efficiency through better organization of parts and equipment for specialty contractors including plumbers, HVACR technicians, electricians, and more. No more looking for what you need, just grab and go!

STANDARD FEATURES

- A Double panel rear cargo doors lock and seal into the body frame. These 20 gauge galvanneal steel doors have nitrogen gas struts, slam latches, and 9"x30" glass windows with guards.
- B Two conduit chutes to transport copper pipes, PVC, and conduit
- C Power locks on rear cargo doors and all side compartment doors offer enhanced operator convenience, system includes two key fobs. (Conduit chute doors do not have power locks.)
- D Rear vertical compartment contains 1 adjustable divider shelf warranted to hold up to 250 lbs.
- **E** Vertical compartment doors employ double spring-loaded, over-center retainers for elimination of involuntary swing.
- **F** Horizontal compartment contains 1 adjustable divider shelf to hold up to 250 lbs. (passenger side only)





CARGO AREA AND CONDUIT CHUTE CAPACITY: 10' in the 129" bodies

- G Automotive door seals for protecting your tools and parts from the elements
- H Front vertical compartments contain 2 adjustable divider shelves warranted to hold up to 250 lbs. each
- I "Pry-Proof" stainless steel hinges for security
- J Refined, automotive quality, paddle activated rotary style latches make opening and closing easy. Low maintenance and stylish, the latches are covered under Knapheide's six year warranty.


Interior cover secures the latch to the door and protects latch mechanisms from being damaged.


- K Spacious cargo storage area for transporting drywall, larger tools, water heaters and oversized items
- L Sliding cab access door window can be locked from the cab and secured in either an open or closed position
- M Two interior dome lights in cargo area with light switch inside the cargo doors
- N Complete immersion in Knapheide's electrodeposition prime paint system for superior corrosion resistance
- Flat panel space provides rolling billboard to promote business

SPECIFICATIONS

| Chassis | | | Model Specifications | | | | | | | | | | |
|--|-----|------------------|----------------------|----------------|---------------|----------------|----------------------|------------------------|-------------------------|-----------------------------|-------|------------------|------------------|
| Chassis Model | CA | Weight (lbs)* | Body Model | Body Height | Body Width | Body Length | Compartment Depth | Clear Door Width | Clear Door Height | Clear Interior Height | GVWR | Weight (lbs)* | Payload (lbs) |
| 2014 and later Ram ProMaster Cutaway 136" Wheel Base | 81" | 4,190 | KUV129SLK-RP | 78" | 83" | 129" | 14.5" | 49.9" | 55.5" | 64.6" | 8,900 | 2,165 | 2,545 |
| | 81" | 4,190 | KUV129SHK-RP | 90" | 83" | 129" | 14.5" | 49.9" | 66.1" | 76.6" | 8,900 | 2,338 | 2,372 |

* Body weight is calculated with standard shelving







HAILS SITE 1 Н ATION Н I H NIZ

POPULAR OPTIONS



Master Locking System



Codeable Padlock



Steel Mechanic Drawers



Knapliner Cargo Area



Sortimo



Rear Vision Camera

Solid Rear Doors



Knapliner Rear Bumper



Pull Out Tray



Power Liftgate



Class III Receiver Hitch





Spitzlift

Power Ladder Rack



Side Access Door



Mechanics Vise Bracket

3 Bow Ladder Rack



Side Mount Ladder Rack



No Rust Through

COMMITMENT TO

CORROSION RESISTANCE

Corrosion shouldn't be a concern when you buy quality Knapheide products. To give you the best protection

from corrosion, we installed our state-of-the-art, custom-

designed electrodeposition prime paint system.

- Door Hinges will Not Fail or Come Off Body
- Latches and Lock Cylinders will Not Fail to Operate

• Shelves will Not Bend under Max. Load of 250lbs.



The Knapheide Manufacturing Company


1848 Westphalia Strasse | Quincy, Illinois 62305 (217) 222-7131

www.knapheide.com

😡 knapheide@knapheide.com

For more information:

Specifications subject to change without notice. Some models shown with optional equipment.



has continued to be an industry leader, with a vast distribution network and expert staff ready to help.

L63RP 5M 0115 A