



# STEEL SERVICE BODIES //

With a rugged steel construction and external storage for your tools and equipment, the Service Body is a key component in your day-to-day productivity.

The external compartments offer protection from outside elements and allow technicians to access their equipment without having to climb into the truck bed.

Staying organized both on and between job sites is important. Get maximum efficiency with a Knapheide Service Body.



#### STANDARD SHELVING


All Knapheide Service Bodies come with the following standard shelving units:

- Two adjustable divider shelves and dividers, in the street and curb side front vertical compartments (1st and 2nd vertical 132" bodies only)
- One adjustable divider shelf and dividers in the street and curb side full height rear vertical compartments
- One adjustable divider shelf and dividers in the curb side horizontal compartment

#### **REQUEST A QUOTE**

Visit **knapheide.com/quote** and fill out the form to receive a quote and additional product information.


# STANDARD FEATURES



A Features 14-gauge, two-sided A-40 galvanneal steel shell



H Features double-shell, 20-gauge, two-sided A-40 galvanneal steel compartment doors



B Exclusive "Return Flange" floor design provides support



Automotive-quality, rotary-style latches make opening and closing easy



Interior light guards protect recessed lighting and wiring



J Interior cover protects internal latch from damage



Continuous stainless steel hinges are pry-proof and corrosion-resistant



K Neoprene door seals protect compartments from the weather



Adjustable security ring strikers provide a weather-tight seal



 Quick-mount installation allows for fast, safe mounting



Includes 250-lb. capacity adjustable divider shelves



M Includes slam-lock tailgate with one-hand center release



G Double-spring overcenter door retainer eliminates involuntary door swing



N Upgraded surface mount lighting system features LED S/T/T and B/U, LED strobe option with (9) selectable patterns, and built-in reflectivity for additional safety

\*Additional wire harness required for strobe lights

#### **// E-COAT PROTECTION:**

# ALUMINUM SERVICE BODIES //

Aluminum service bodies from Knapheide feature a superior design and innovative construction.

Utilizing military-grade aluminum and structural adhesives are just a few of the features that place our aluminum service bodies far ahead of the competition.

In order to provide customers with the utmost confidence in our aluminum service bodies, we put them through the most rigorous testing program in history. They were subjected to the harshest environments and applications possible in our lab, on proving grounds — and by real customers like you.

Choose a Knapheide Aluminum Service Body and you'll get corrosion resistance, increased payload, and an aluminum service bed that is just as durable as steel.



#### STANDARD SHELVING

All Knapheide Service Bodies come with the following standard shelving units:

- Two adjustable divider shelves and dividers, in the street and curb side front vertical compartments (1st and 2nd vertical 132" bodies only)
- One adjustable divider shelf and dividers in the street and curb side full height rear vertical compartments
- · One adjustable divider shelf and dividers in the curb side horizontal compartment

#### **REQUEST A QUOTE**

Visit **knapheide.com/quote** and fill out the form to receive a quote and additional product information.

## STANDARD FEATURES



A Constructed of 6061 T6 and 5052 aluminum



Adjustable security ring strikers provide a weather-tight seal



Aerospace design and assembly for unmatched durability



Upgraded surface mount lighting system features LED S/T/T and B/U, LED strobe option with (9) selectable patterns, and built-in reflectivity for additional safety

\*Additional wire harness required for strobe lights \*Lights covered by 3-year limited warranty



C All-aluminum 6061 T6 understructure



J Automotive-quality rotary latches with easy open handle and interior cover



D Floor constructed of rugged 6061 T6 aluminum extrusions and exclusive "Return Flange" floor design



K Nitrogren strut door retainers



E Inset door frame design with double tray aluminum doors and neoprene seals for weather-tight closing



L Includes slam-lock tailgate with one-hand center release



F TPO fender skirts



M Quick-mount installation allows for fast, safe mounting



Continuous aluminum hinge with stainless steel rods



N Interior light guards protect recessed lighting and wiring

# **COMPARTMENT CONFIGURATIONS**



# // **500 SERIES**

**COMPARTMENTS** 

The 500 Series Service Bodies feature a horizontal compartment that stretches from the first vertical compartment to the end of the body with a small, rear lower compartment.



#### // 600 **SERIES**

**COMPARTMENTS** 

The 600 Series Service Bodies feature a horizontal compartment that is positioned over the wheel well and one vertical compartment in the front of the body and one at the rear of the body.




The 700 Series has 500 Series configuration on the curb side and 600 Series on the street side.



# // LOW PROFILE

Low Profile Bodies, denoted by "LP", offer greater visibility from the cab while only sacrificing 4" of the body height compared to a standard Service Body.



# // RAISED FRONT

COMPARTMENTS

Raised front vertical compartment configuration raises the curb side front vertical compartment to 60" tall.





# // FLIP TOP COMPARTMENTS


Flip Tops, denoted by "F", allow for greater internal storage, organization and flexibility. Knapheide's Flip Tops have a slammable top lid door and a convenient one-hand release located in the horizontal compartment.



# // PLUS 50 COMPARTMENTS

Plus 50 models feature a transverse compartment in the curb side front vertical extending to the street side compartment in the back. Plus 50 models have 50% more effective storage capacity.

Depending on body model, compartments have either two or three drawers, 59" or 69" long. All drawers are rated for 250-lb. and have dividers every 4".



**THREE-DRAWER UNIT** 




**TWO-DRAWER UNIT** 

# **POPULAR OPTIONS**

#### // BUMPERS

Knapheide bumpers are constructed with work in mind. With three configurations and three surface options (tread plate, Galva-Grip, and grip strut), we have a bumper for every need. Select bumpers available with Knap-liner coating for additional friction and durability.



**STRAIGHT BUMPERS** 



**STEP BUMPERS** 



HITCH RECESS BUMPERS

Bumpers for aluminum bodies are available in Knap-liner coating only.

#### // CANOPY ROOF

The canopy roof option allows you to fully enclose your cargo area. Canopy roofs are available in three heights, straight sides, and with stationary or telescopic roofs. For a tapered-side one-piece body design, take a look at our KUVcc product line.

Not available for aluminum bodies.



**STRAIGHT SIDES** 



**TELESCOPIC ROOF** 



SIDE LADDER RACKS



SIDE ACCESS DOORS



REAR ACCESS DOOR



# // TELESCOPIC SLIDING ROOF

Telescopic sliding roofs offer a robust enclosure for the cargo space of your Service Body, allowing you to protect your tools and equipment from theft and weather.

Not available for aluminum bodies.



# // CRANE REINFORCEMENT KIT

The crane reinforcement kit option allows you to incorporate a crane up to 4,000 lb. capacity (16,000 ft-lb. max.) onto the rear curb side corner of your body.

Not available for aluminum bodies.

#### // RACKS

Adding a rack to your Service Body increases your storage space by getting your ladders and other long tools or equipment up and out of the way, making room to haul more items in your cargo area.



KNAPHEIDE UTILITY RACK\*



OVERCAB MATERIAL RACK\* (KARGO MASTER)



SIDE MOUNT LADDER RACK



OVERHEAD LADDER RACK\*

NOT PICTURED (APPLIES TO SIDE MOUNT & OVERHEAD LADDER RACKS):

• LADDER RACK ROLLERS • LADDER RACK RAILS

<sup>\*</sup>Not available for aluminum bodies

#### // SECURITY



**MASTER LOCKS** 



**POWER LOCKS** 

#### // LIGHTING



**FRONT STROBE** 



LED COMPARTMENT **LIGHTS** 

#### // SAFETY



**GRAB HANDLES** 



**CABLE STEPS\*** 



// STORAGE/ORGANIZATION

**DRAWERS** 



**STEEL DRAWERS\*** 



**FLEX STEPS** 



WHEEL CHOCK **HOLDER-FENDER SKIRT** 



**SORTIMO COMPARTMENT** STORAGE/MOBILITY

#### **// EXTERIOR OPTIONS**



**ROCK GUARDS** 



**ALUMINUM TREAD PLATE TRIM KITS** 



**MODULAR CAB GUARD** 



**MOUNTING KITS FOR REMOVABLE CRANE\*** 

(SPITZLIFT)

#### // SHELVES



**PULL-OUT SHELVES\*** 



**PULL-OUT TRAY** 



**METER TRAY WITH HOLES** 


#### // DOOR OPTIONS



SINGLE POINT OR THREE POINT T-HANDLE



**REAR ACCESS DOOR** 



**REAR ACCESS DOOR WITH FULL-LENGTH SHELF** 

#### // CARGO AREA



**E-TRACK & ACCESSORIES** 



**BOTTLE GAS RETAINER** 



**CARGO TIE-DOWNS** (Pictured in steel.

In-floor swivel D-rings available in aluminum.)

#### // SERVICE BODY PACKAGES

Need your work truck fast? These preconfigured packages are built for quicker delivery to you. Ask your Knapheide rep for more information.

#### 1848 PACKAGE

- Painted white
- Lights installed and wired
- Power locks installed
- LED compartment lights installed
- Sortimo BOXX package in left horizontal compartment
- Aluminum tread plate rock guards and tailgate trim installed

#### PIONEER PACKAGE

- Painted white
- Lights installed and wired
- Masterlocks installed
- Aluminum tread plate rock guards installed
- Aluminum tread plate tops of compartments



# COMMITMENT TO CORROSION RESISTANCE

Corrosion won't be a concern when you buy quality Knapheide products.

To give you the best corrosion protection on our steel bodies, we utilize a state-of-the-art, customdesigned, 12-step, SST cathodic electrodeposition finishing system, called "E-Coat."

It bonds prime paint to steel by an electroplating process to give you a superior coat of primer, resulting in better corrosion protection compared to spraying methods.

Aluminum bodies are naturally corrosion resistant. Where steel fasteners are used, those fasteners are coated with "EcoGuard" to eliminate the interaction between the steel and aluminum.

The E-coat system and aluminum assembly method both allow us to create products with the highest level of corrosion resistance available.

trim kit installed: includes and tailgate


<sup>\*</sup>Not available for aluminum bodies


# **SPECIFICATIONS**


# // 42" CA SINGLE REAR WHEEL

MODEL	TYPE	HEIGHT	WEIGHT
682	Standard	40"	975 lb.
682LP	Low Profile	36"	919 lb.
682F	Flip Top (L)	37.25"	1,026 lb.
682F40	Flip Top (H)	41.25"	1,083 lb.

TRUCK	САВ	WHEELBASE	GVWR
K25753	Extended	144.2"	9,900 lb.
C/K25753HD	Extended	144.2"	9,900 lb.
C/K25743	Crew	153.7"	9,900 lb.
C/K25743HD	Crew	153.7"	9,900 lb.









# // 56" CA SINGLE REAR WHEEL


MODEL	TYPE	HEIGHT	WEIGHT
696	Standard	40"	1,111 lb.
696LP	Low Profile	36"	1,060 lb.
696F	Flip Top (L)	37.25"	1,183 lb.
696F40	Flip Top (H)	41.25"	1,234 lb.
696D38*	Standard	40"	1,153 lb.
696D38LP*	Low Profile	36"	1,100 lb.
696D38F*	Flip Top	37.25"	1,223 lb.

TRUCK	CAB	WHEELBASE	GVWR
C25903	Regular	133"	9,300 lb.
C/K25903HD	Regular	133"	9,300/10,000 lb.
K35903HD	Regular	133"	10,400/11,100 lb.
C/K25953HD	Extended	157.5"	9,500/10,000 lb.
K35953HD	Extended	157.5"	10,700/11,200 lb.
C/K25943HD	Crew	167"	9,500/10,000 lb.
C/K35943HD	Crew	167"	10,000/11,400 lb.

<sup>\*</sup>D38 models denote 38" wide floor and 20" deep compartments










## **# 56" CA DUAL REAR WHEEL**

MODEL	TYPE	HEIGHT	WEIGHT
696D54	Standard	40"	1,288 lb.
696D54LP	Low Profile	36"	1,234 lb.
696D54F	Flip Top (L)	37.25"	1,357 lb.
696D54F40	Flip Top (H)	41.25"	1.412 lb.

TRUCK	CAB	WHEELBASE	GVWR
C/K35903	Regular	133"	13,025/13,400 lb.
C/K35953	Extended	157.5"	13,025 lb.
C/K35943	Crew	167"	13,025 lb.









# // 60" CA DUAL REAR WHEEL


MODEL	TYPE	HEIGHT	WEIGHT
6108D	Standard	40"	1,366 lb.
6108DF	Flip Top (L)	37.25"	1,438 lb.
6108DF40	Flip Top (H)	41.25"	1,505 lb.
6108W*	Standard	40"	1,303 lb.

TRUCK	CAB	WHEELBASE	GVWR
C/K36003	Regular	137"	13,200 lb.
C/K36043	Crew	171.5"	13,200 lb.

<sup>\*</sup>W models denote 60" wide floor and 14.5" deep compartments









### // 84" CA DUAL REAR WHEEL


MODEL	TYPE	HEIGHT	WEIGHT
6132D	Standard	40"	1,666 lb.
6132DF	Flip Top (L)	37.25"	1,754 lb.
6132DF40	Flip Top (H)	41.25"	1,824 lb.
6132W*	Standard	40"	1,618 lb.

TRUCK	CAB	WHEELBASE	GVWR
C/K36403	Regular	162"	13,200 lb.

<sup>\*</sup>W models denote 65" wide floor and 14.5" deep compartments









# **SPECIFICATIONS**

## // 42" CA SINGLE REAR WHEEL

MODEL	TYPE	HEIGHT	WEIGHT
A684	Standard	40"	558 lb.
A684LP	Low Profile	36"	531 lb.
A684F	Flip Top (L)	37.25"	633 lb.
A684F40	Flip Top (H)	41.25"	660 lb.

TRUCK	САВ	WHEELBASE	GVWR
K25753	Extended	144.2"	9,900 lb.
C/K25753HD	Extended	144.2"	9,900 lb.
C/K25743	Crew	153.7"	9,900 lb.
C/K25743HD	Crew	153.7"	9,900 lb.







# // 56" CA SINGLE REAR WHEEL

MODEL	TYPE	HEIGHT	WEIGHT
A698	Standard	40"	603 lb.
A698LP	Low Profile	36"	600 lb.
A698F	Flip Top (L)	37.25"	720 lb.
A698F40	Flip Top (H)	41.25"	750 lb.
A698D41	Standard	40"	637 lb.
A698D41LP	Low Profile	36"	608 lb.
A698D41F	Flip Top	37.25"	742 lb.

TRUCK	CAB	WHEELBASE	GVWR
C25903	Regular	133"	9,300 lb.
C/K25903HD	Regular	133"	9,300/10,000 lb.
K35903HD	Regular	133"	10,400/11,100 lb.
C/K25953HD	Extended	157.5"	9,500/10,000 lb.
K35953HD	Extended	157.5"	10,700/11,200 lb.
C/K25943HD	Crew	167"	9,500/10,000 lb.
C/K35943HD	Crew	167"	10,000/11,400 lb.







## // 56" CA DUAL REAR WHEEL

MODEL	TYPE	HEIGHT	WEIGHT
A698D54	Standard	40"	703 lb.
A698D54LP	Low Profile	36"	671 lb.
A698D54F	Flip Top (L)	37.25"	808 lb.
A698D54F40	Flip Top (H)	41.25"	836 lb.

TRUCK	САВ	WHEELBASE	GVWR
C/K35903	Regular	133"	13,025/13,400 lb.
C/K35953	Extended	157.5"	13,025 lb.
C/K35943	Crew	167"	13,025 lb.







### // 60" CA DUAL REAR WHEEL

MODEL	TYPE	HEIGHT	WEIGHT
A6110D49	Standard	40"	743 lb.
A6110D49LP	Low Profile	36"	706 lb.
A6110D49F	Flip Top (L)	37.25"	850 lb.
A6110D49F40	Flip Top (H)	41.25"	885 lb.

TRUCK	САВ	WHEELBASE	GVWR
C/K36003	Regular	137"	13,200 lb.
C/K36043	Crew	171.5"	13,200 lb.







## // 84" CA DUAL REAR WHEEL

MODEL	TYPE	HEIGHT	WEIGHT
A6132D49	Standard	40"	880 lb.
A6132D49LP	Low Profile	36"	839 lb.
A6132D49F	Flip Top (L)	37.25"	1,009 lb.
A6132D49F40	Flip Top (H)	41.25"	1,051 lb.

TRUCK	САВ	WHEELBASE	GVWR
C/K36403	Regular	162"	13,200 lb.






# NEVER SETTLE //

If you are going to be a leader, it takes more than building a high-quality product. It means never being totally satisfied with that product, no matter how high quality it may be. It requires constant vigilance and a willingness to take a chance on something new. And it means exceeding expectations every time. As the industry changes, one thing never will—our commitment to making customers like you as productive and efficient as possible. We know you don't settle, and we don't either. That's why we want you never to settle for anything less than Knapheide on the back of your truck.

#### Knapheide. Never settle.





Visit www.knapheide.com/warranty for more information.



The Knapheide Manufacturing Company 1848 Westphalia Strasse | Quincy, IL 62305

217-222-7131 www.knapheide.com

