

UTILITY CONSTRUCTION TRAILERS



See for yourself how
American Eagle Accessories Group
takes trailer design and function
to the next level.

(800) 392-3015 | www.americaneagleacc.com

THE AMERICAN EAGLE CHOICE

American Eagle specializes in trailers to transport cable reels, coil pipe, stick pipe, and utility poles. Used by rural electric power companies, municipalities, gas companies, utility construction companies, and a wide variety of other applications. Whether you need a trailer for occasional use, or a heavy-duty trailer that you use every day, American Eagle has a solid reputation for premium quality and durability.

Reel Trailers

ICH Self-loading Reel Trailer

7,000 lb. or 10,000 lb. capacity
Maximum reel width: 65" on 7k, 54" on 10k
Maximum reel diameter: 120"
8" channel mainframe & tongue on 7,000 lb. (10" channel on 10,000 lb.)
Open yoke design for easy loading/unloading
(2) Brand hydraulics hand pumps independently operate
(2) 3" x 8" hydraulic lift cylinders
Multi-position reel bar carrier with spring suspension on reel rack



ICH-CG Self-loading Reel Trailer

7,000 lb. or 10,000 lb. capacity
Maximum reel width: 70" on 7,000 lb., 60" on 10,000 lb.
Maximum reel diameter: 120"
6" channel mainframe & tongue on 7,000 lb. (8" channel on 10,000 lb.)
Open yoke design for easy loading/unloading
(2) Brand hydraulics hand pumps independently operate
(2) 3" x 8" internally mounted hydraulic lift cylinders
Multi-position reel bar carrier



ICE Economy Reel Trailer

Perfect for transporting conduit or innerduct
No brakes on standard model
63" x 96" maximum reel dimensions
One-piece mainframe and tongue (4" channel)
Slipper spring suspension
3,500 lb. or 7,000 lb. axle
Single position, 2.5" reel bar
Self-loading features available
(Optional galvanization shown)



Durable. Functional.
Efficient. Productive. Profitable.

Pipe Trailers

IRH 100/300/400 Self-Loading Coil Trailer

5" channel mainframe & tongue (one-piece)
Rotating pipe carousel w/hand brake
Pneumatic rollers for controlled pipe payout
Carousel diameter: 80" (100), 96" (300), 102" (400)
Pipe capacity: 1"-2" (100), 1.5"-3" (300), 2"-4" (400)
Pipe cage w/adjustable uprights-designed to hold large and small I.D. coils
Hydraulic hand pump w/splitter valve to raise and lower carousel
3,500 lb. or 7,000 lb. axle



IRV Vertical Coiled Pipe Trailer

96 1/2" overall width
8" channel frame
4" to 6" pipe
3" eye 4-bolt adjustable coupler (4-positions on 1/2" plate)
1/8" tread plate catwalks
Horizontal tracer wire holder
(2) 5" x 8" rubber wheel chocks with holders
Accommodates 120" OD pipe coils
(2) 7,000 lb. axles
Available with line tamer option



IGT 100/200 Telescoping Pipe Carrier

Rear telescoping (100) front & rear telescoping (200)
Overall width: 96"
Retracted length: 30' (100), 32' (200)
Extended length: 38' (100), 45' (200)
24" high removable bulkhead
10" channel mainframe (100)
10" channel double-boxed mainframe (200)
6" channel cross members
Open floor pan
(2) 7,000 lb. or (2) 10,000 lb. axles



Pole Trailers

ICP Combo Pole & Material Trailer

Overall width: 96"
Overall retracted length: 21' (extended length: 31')
60"W or 64"W x 120"L x 15"H cargo box
6" x 6" x 3/8" tubular tongue
7" channel mainframe
(2) 7,000 lb., (2) 8,000 lb. or (2) 10,000 lb. axles
Optional reel stands available
Box construction:
1/8" deck plate floor, 12 ga. sides and 2" tubular supports in wall



IPT Telescoping Pole Trailer

Overall width: 96"
Overall retracted length: 22' (30), 32' (40), 42' (60)
Overall extended length: 32' (30), 42' (40), 60' (60)
5" channel A-frame
6" x 6" x 3/8" tubular tongue
10" channel mainframe
1/8" deck metal floor pan between fenders
A variety of axle options
Slipper spring suspension



Drop-On Cable Reel Trailers

ICD 100/200/300/400

7-way RV-style flatblade wire plug connector
1/8" tread plate catwalks (NA on 100 Model)
1/2" diameter stainless steel grounding lugs (1 per reel per side)
(2) 5"x8" rubber wheel chocks with holders
2 1/2" OD x 7/16" steel reel bars
3/16" tube structure
54" x 72" max reel dimensions standard

- ICD 100 (single reel)
6" channel frame
3" eye 2-bolt adjustable coupler (5-position channel)
- ICD 200 (two reel)
8" channel frame
3" eye 4-bolt adjustable coupler (4-positions on 1/2" plate)
- ICD 300/400 (three & four reel)
10" channel frame
3" eye 4-bolt adjustable coupler (4-positions on 1/2" plate)



Turret Base Reel Trailers

ICT 100/200/300/400

10" channel frame
7-way RV-style flatblade wire plug connector
3" eye 4-bolt adjustable coupler (4-positions on 1/2" plate)
1/8" tread plate decking
1/2" diameter stainless steel grounding lugs (1 per reel per side)
(2) 5" x 8" rubber wheel chocks with holders
2 1/2" OD x 7/16" steel reel bars
54" x 72" max reel dimensions standard
Locking/lifting collars
Turret style reel payout
360 degree continuous rotation/locking at 22.5 degree intervals



American Eagle Trailers are designed and built to excel in the most demanding industrial conditions and are well-known for their strength, simplicity, and safety.

As you review the information provided, we invite you to contact us with any questions you may have regarding our products and services.



American Eagle Accessories Group
740 North State Street
P.O. Box 169
Garner, IA 50438
Telephone: 641-923-2425 • 800-392-3015
Fax: 641-923-9099
Internet: www.americaneagleacc.com
E-mail: sales@americaneagleacc.com

Designed & Manufactured in the U.S.A.

*Specifications may change without notification.
Copyright © 2016 American Eagle Accessories Group.