

KNAPHEIDE KUVcc BODIES

The style and function of a KUV, designed for a cab chassis: the KUVcc is built to get the job done.

Providing both enclosed cargo and internal compartment storage, the KUVcc gives you the most efficient and secure storage possible.

Get the use of a truck and function of a KUV all-in-one with the KUVcc.





REAR VIEW: CARGO AREA

REQUEST A QUOTE

Visit **knapheide.com/quote** and fill out the form to receive a quote and additional product information.

STANDARD FEATURES

- A Double panel rear cargo doors lock and seal into the body frame. These 20-gauge galvanneal steel doors have nitrogen gas struts, slam latches, and glass windows with guards.
- **B** Two conduit chutes to transport copper pipes, PVC, and conduit
- C Master Locking System for piece of mind locks down all of the side compartments in one move
- Includes 250-lb. capacity adjustable divider shelves comprised of spangled galvanized steel, with divider slots on 4" centers
- E Vertical compartment doors employ double-spring over-center retainers for elimination of involuntary swing
- F Neoprene door seals protect compartments from the weather
- **G** Continuous stainless steel hinges are pry-proof and corrosion-resistant
- H Features double-shell, 20-gauge, two-sided A-40 galvanneal steel compartment doors
- Automotive-quality, rotary-style latches make opening and closing easy
- J Features 14-gauge, two-sided A-40 galvanneal steel shell
- K Flat panel space provides rolling billboard to promote business
- L Two interior dome lights in cargo area with light switch inside the cargo doors
- M Spacious cargo area for transporting oversized tools and equipment
- N 9"x30" glass window in front bulkhead positioned to line up with the cab rear window for visibility

Other features not shown:

- All compartments can be locked independently for maximum security
- Interior light guards provide protection for recessed lighting and wiring package
- Electrodeposition prime-paint system provides superior corrosion resistance
- Complete undercoating provides an additional layer of corrosion protection

POPULAR OPTIONS



POWER LOCKS



CODEABLE PADLOCK



UPPER SIDE GLASS



REAR VISION CAMERA



ALUMINUM DRAWERS



SORTIMO



SOLID REAR DOORS



KNAPLINER REAR BUMPER



PULL OUT TRAY



POWER LIFTGATE Not available on SRW models



CLASS V RECEIVER HITCH



MECHANICS VISE BRACKET



SPITZLIFT



LED COMPARTMENT LIGHTING



3 BOW LADDER RACK



DROP-DOWN LADDER RACK Prime Design



SIDE ACCESS DOOR



SIDE MOUNT LADDER RACK



COMMITMENT TO CORROSION RESISTANCE

Corrosion won't be a concern when you buy quality Knapheide products. To give you the best corrosion protection, we utilize a state-of-the-art, custom-designed, 12-step, SST cathodic electrodeposition finishing system, called "E-Coat."


It bonds prime paint to steel by an electroplating process to give you a superior coat of primer, resulting in better corrosion protection compared to spraying methods.

This system allows us to create products with the highest level of corrosion resistance available.

// 56" CA SINGLE REAR WHEEL

| MODEL | BODY LENGTH | BODY HEIGHT | BODY WIDTH | COMPARTMENT DEPTH | CLEAR DOOR WIDTH | CLEAR DOOR HEIGHT | INTERIOR CLEAR HEIGHT | BODY WEIGHT |
|------------|----------------|----------------|---------------|----------------------|---------------------|----------------------|--------------------------|----------------|
| KC96U1478J | 97.25" | 62" | 78" | 14.5" | 44.5" | 38.1" | 45.1" | 1,571 lb. |
| KC96L1478J | 97.25" | 68" | 78" | 14.5" | 44.5" | 41.1" | 51.1" | 1,691 lb. |
| KC96M1478J | 97.25" | 78" | 78" | 14.5" | 44.5" | 50.5" | 61.1" | 1,714 lb. |


| APPLICABLE CHASSIS | САВ | WHEELBASE | GVWR |
|--------------------|---------|--------------|-------------------|
| C/K25903HD | Regular | Regular 133" | |
| C/K35903 | Regular | 133" | 10,000/11,600 lb. |
| C/K25953HD | Double | 157.5" | 9,500/10,000 lb. |
| C/K35953 | Double | 157.5" | 10,000/11,600 lb. |
| C/K25943HD | Crew | 167.5" | 9,500/10,000 lb. |
| C/K35943 | Crew | 167.5" | 10,000/11,600 lb. |



56" CA DUAL REAR WHEEL

| MODEL | BODY LENGTH | BODY HEIGHT | BODY WIDTH | COMPARTMENT DEPTH | CLEAR DOOR WIDTH | CLEAR DOOR HEIGHT | INTERIOR CLEAR HEIGHT | BODY WEIGHT |
|------------|----------------|----------------|---------------|----------------------|---------------------|----------------------|--------------------------|----------------|
| KC96U2094J | 97.25" | 62" | 94" | 20" | 49.5" | 38.1" | 45.1" | 1,686 lb. |
| KC96L2094J | 97.25" | 68" | 94" | 20" | 49.5" | 41.1" | 51.1" | 1,824 lb. |
| KC96M2094J | 97.25" | 78" | 94" | 20" | 49.5" | 50.5" | 61.1" | 1,847 lb. |
| KC96H2094J | 97.25" | 90" | 94" | 20" | 49.5" | 63.1" | 73.1" | 1,965 lb. |


| APPLICABLE CHASSIS | САВ | WHEELBASE | GVWR |
|--------------------|----------|-----------|-------------------|
| C/K35903 | Regular | 133" | 13,025/13,400 lb. |
| C/K35953 | Extended | 157.5" | 13,025/13,400 lb. |
| C/K35943 | Crew | 167.5" | 13,025 lb. |



60" CA DUAL REAR WHEEL

| MODEL | BODY LENGTH | BODY HEIGHT | BODY WIDTH | COMPARTMENT DEPTH | CLEAR DOOR WIDTH | CLEAR DOOR HEIGHT | INTERIOR CLEAR HEIGHT | BODY WEIGHT |
|-------------|----------------|----------------|---------------|----------------------|---------------------|----------------------|--------------------------|----------------|
| KC108L2089J | 107.25" | 68" | 89" | 20" | 44.5" | 41.1" | 51.1" | 1,964 lb. |
| KC108M2089J | 107.25" | 78" | 89" | 20" | 44.5" | 50.5" | 61.1" | 1,990 lb. |
| KC108H2089J | 107.25" | 90" | 89" | 20" | 44.5" | 63.1" | 73.1" | 2,111 lb. |


| APPLICABLE CHASSIS | САВ | WHEELBASE | GVWR | |
|--------------------|----------|-----------|------------|--|
| C/K36003 | Regular | 137" | 13,200 lb. | |
| C/K36053 | Extended | 161.5" | 13,200 lb. | |



// 84" CA DUAL REAR WHEEL

| MODEL | BODY LENGTH | BODY HEIGHT | BODY WIDTH | COMPARTMENT DEPTH | CLEAR DOOR WIDTH | CLEAR DOOR HEIGHT | INTERIOR CLEAR HEIGHT | BODY WEIGHT |
|-------------|----------------|----------------|---------------|----------------------|---------------------|----------------------|--------------------------|----------------|
| KC132L2089J | 133.25" | 68" | 89" | 20" | 44.5" | 41.1" | 51.1" | 2,369 lb. |
| KC132M2089J | 133.25" | 78" | 89" | 20" | 44.5" | 50.5" | 61.1" | 2,401 lb. |
| KC132H2089J | 133.25" | 90" | 89" | 20" | 44.5" | 63.1" | 73.1" | 2,531 lb. |

| APPLICABLE CHASSIS | САВ | WHEELBASE | GVWR |
|--------------------|---------|-----------|------------|
| C/K36403 | Regular | 161.5" | 13,200 lb. |




NEVER SETTLE //

If you are going to be a leader, it takes more than building a high-quality product. It means never being totally satisfied with that product, no matter how high quality it may be. It requires constant vigilance and a willingness to take a chance on something new. And it means exceeding expectations every time. As the industry changes, one thing never will—our commitment to making customers like you as productive and efficient as possible. We know you don't settle, and we don't either. That's why we want you never to settle for anything less than Knapheide on the back of your truck.

Knapheide. Never settle.

SIX-YEAR, LIMITED WARRANTY



Visit www.knapheide.com/warranty for more information.



The Knapheide Manufacturing Company 1848 Westphalia Strasse | Quincy, IL 62305

217-222-7131 www.knapheide.com knapheide@knapheide.com

