


WESTERN

SNOW REMOVAL
EQUIPMENT

A white snowplow truck is shown from a front-three-quarter angle, plowing through deep snow. The truck's headlights and orange turn signals are illuminated. A red Western Prodigy snowplow blade is visible in the lower right foreground, angled upwards. The background is a dense, snow-covered forest.

WESTERN
CONTRACTOR GRADE
PRODIGY



BUILT FOR SERIOUS

SNOW PLOWERS

Let winter shell out its worst, because that only brings out your best. And when you're out there fighting the storms all day or all night, Western Products is right there with you, providing the equipment you need to get it done right and get you on to the next job.

Forged by hard-working men and women in our award-winning Milwaukee manufacturing facility, WESTERN® snow and ice control equipment is built to stand up to winter's worst.

More Jobs. Done Faster. It's the WESTERN way.



WIDE-OUTTM

TAKE TOTAL CONTROL OF YOUR WINGS.

The WESTERN® WIDE-OUT™ adjustable wing snowplow puts total control in your hands for unmatched versatility. Go from retracted straight to extended straight, windrow, and scoop, all at the touch of a button. Get done up to 30% faster. The WIDE-OUT is the ultimate in CONTRACTOR GRADE® performance.



ANGLES IN SCOOP

The WIDE-OUT™ blade fully angles in scoop position to carry snow around corners with minimal spill-off.

WING CUTTING EDGES

Durable polyurethane wing cutting edges reduce wear and protect the blade. These cutting edges can effectively "tip" in any position, including scoop.

TRIP SPRINGS

Four trip return springs help protect your plow and truck by allowing the blade to trip forward when striking an obstacle.

HYDRAULIC WING EXTENSIONS

Independently position each wing to maximize blade width and move more snow. Wings slide laterally across a structurally reinforced slide box.

DUAL POWER BAR

Six vertical ribs and dual horizontal POWER BAR design provide exceptional strength and prevent blade twisting, even in the most box.



WESTERN® WIDE-OUT is four plows in one

- 8' Retracted Straight
- 10' Expanded Straight
- Windrow Position
- 8' 10° Scoop Mode

OPTIONAL ACCESSORIES

- Snow deflector
- Shoe kit
- Back drag edge
- Emergency parts kit

SECURITY GUARD™

Anti-theft system renders plow inoperable to unauthorized users.



FLEET FLEX

Electrical system provides true fleet interchangeability. Fast, easy and fully mechanical mounting system for hassle-free hookups.



Compare the efficiency of the WIDE-OUT to your plow at westernplows.com/calculator

PRODIGY™

STRAIGHT BLADE OPERATION. WINGED PLOW PERFORMANCE.

Even the newest driver on your crew can plow like a seasoned pro. The WESTERN® PRODIGY™ snowplow is a winged plow with a straight blade control so plowers at any level are automatically more productive.

Less time training and less time per lot means you'll be more profitable faster.

PRODIGY™



SKID-STEER MOUNT AVAILABLE

Hooks up fast and easy.
Skid-steer hydraulics power the blade.



STRAIGHT BLADE OPERATION. WINGED PLOW PERFORMANCE.

Even the newest driver on your crew can plow like a seasoned pro. The WESTERN® PRODIGY™ snowplow is a winged plow with a straight blade control so plowers at any level are automatically more productive.

Less time training and less time per lot means you'll be more profitable faster.

FULLY MECHANICAL WINGS	REINFORCED BLADE STRUCTURE	TRIP BLADE AND WING PROTECTION
Automatically change position as you maneuver the blade, to maximize plowing efficiency.	Eight vertical ribs and horizontal POWER BAR provide added reinforcement and strength.	Four heavy-duty coil springs help absorb shock when striking objects. Coil compression springs automatically return wings to their scoop position.



ANGLED FOR WINDROWING

When positioned for straight-ahead plowing, both PRODIGY™ wings angle forward, defaulting to an 8'-7" wide scoop position for maximum snow pushing and stacking ability.

UltraMount®2	FLEET FLEX
Fast, easy and fully mechanical mounting system for hassle-free hookups.	Electrical system provides true fleet interchangeability.



SECURITY GUARD™

Anti-theft system renders plow inoperable to unauthorized users.



OPTIONAL ACCESSORIES

- Blade shoes
- Shock absorber
- Rubber deflector
- Back drag edge
- Emergency parts kit

Check out the PRODIGY plow features and see it perform in action at westernplows.com/prodigy



MVPTM 3

THE POWER TO BREAK THROUGH.

When enough is never enough, take v-plow performance to a whole new level with the WESTERN® MVP 3™ snowplow. Taller, flared wings give you more v-plow carrying capacity and snow rolling performance to get the job done even faster. The MVP 3 snowplow is available in poly in 8' 6" and 9' 6" widths, and in powder coated steel or stainless steel in 7' 6", 8' 6" and 9' 6".



MASSIVE CENTER PIN AND HINGE	BIGGER LIFT RAM
1 1/4" heat-treated steel pin and hinge with three connection points provide added strength.	1 1/4" diameter cylinder for more lifting power.
DUAL TRIP-EDGE	T-FRAME DESIGN
Independent trip edge protection in all blade configurations keeps snow in front of the blade.	T-frame provides added strength and allows blade pitch adjustment to reduce uneven cutting edge wear.
FLARED WINGS	STEEL SNOW CONTROL DEFLECTOR
Wings soar from 31" center height up to 39" at outer edge on 9' 6" models.	Steel cover over center hinge and formed cutting edges reduce snow leakage in all blade positions.
REINFORCED BLADE STRUCTURE	FLEET FLEX
Eight vertical ribs and horizontal POWER BAR across the entire back of the blade provides structural rigidity.	Electrical system provides true fleet interchangeability.
ULTRA-LOCK DOUBLE-ACTING CYLINDERS	SECURITY GUARD™
This standard feature allows clean back dragging. Plus the wings lock together for efficient straight blade operation.	Anti-theft system renders plow inoperable to unauthorized users.
STEEL SNOW CONTROL DEFLECTOR	OPTIONAL ACCESSORIES
	<ul style="list-style-type: none"> Show deflectors Blade wings Back drag edge Shoe kit Curb guards Blade angle stops Emergency parts kit



UltraMount® 2
Fast, easy and fully mechanical mounting system for hassle-free hookups.



SECURITY GUARD™
Anti-theft system renders plow inoperable to unauthorized users.



Learn more about the MVP 3 v-plow and watch it work at westernplows.com/mvp3

MVP PLUS™

WHEN A STRAIGHT BLADE WON'T CUT IT

The MWP PLUS™ snowplow gives you the added productivity only a v-plow can. With super-fast hydraulics and trip-edge protection, the MWP PLUS is built for efficiency, durability and performance, so you can move more snow in fewer passes. Available in powder coated steel or poly in 7', 8', 6' and 9' widths.



**UltraLock
DOUBLE-ACTING CYLINDERS**

This standard feature allows clean back dragging. Plus the wings lock together for efficient straight blade operation.

DUAL TRIP-EDGE DESIGN

Each wing features a trip edge that can trip back in ANY configuration – including sweep and scoop – to protect your plow and truck when the blade strikes an obstacle.

STEEL SNOW
CONTROL DEFLECTOR

located over the center hinge, it helps prevent snow from being lost over the top.

POWER BAR CONSTRUCTION

The exclusive POWER BAR, along with eight vertical ribs, provides exceptional torsional strength across the entire blade.

T-FRAME DESIGN

I-frame provides strength and allows pitch adjustment for uneven cutting edges.

on the *black*.

ELECTRIC FLEET FLEX
Electrical system provides true fleet interchangeability.

SECURITY GUARD™

- Snow deflectors
- Blade wings
- Back drag edge
- Shoe kit
- Curb guards
- Blade angle stops
- Emergency parts kit

Get all the information about MVP PLUS v-plows at westernplows.com/mvpplus

PRO PLUS[®]

HEAVY-DUTY CONTRACTOR GRADE PERFORMANCE.

With a winter workhorse like the WESTERN[®] PRO PLUS[®] snowplow on your truck, there's no holding back. Designed to fit a wide range of vehicles, including skid-steers, this plow is built for the toughest commercial operations. Give it all you've got, because going halfway has never been your style. Available in 8', 8' 6" and 9' widths.

PRO
PLUS[®]



SKID-STEER MOUNT AVAILABLE	REINFORCED PLOW BLADE	A-FRAME CONSTRUCTION	PIVOT POINT
Hooks up fast and easy. Skid-steer hydraulics power the blade.	Eight vertical ribs and horizontal POWER BAR provide added reinforcement and strength.	The 3" square tubing provides strength and durability.	Features a 1" diameter pivot bolt to ease stress on the nose plate.
HEAVY-DUTY CUTTING EDGE	TRIP BLADE PROTECTION WITH SHOCK ABSORBERS	HIGH-STRENGTH RECTANGULAR TUBE QUADRANT	HIGH-STRENGTH STEEL BASE CHANNEL
1/2" thick x 6" high carbon steel cutting edge is standard.	Trip blade features four heavy-duty coil springs and two shock absorbers to soften blade return.	Built to withstand season after season of commercial use.	Provides extra support where it's needed most.
FLEET FLEX	SECURITY GUARD™	UltraMount[®] 2	OPTIONAL ACCESSORIES
FLEETFLEX	Anti-theft system renders plow inoperable to unauthorized users.	Fast, easy and fully mechanical mounting system for hassle-free hookup.	<ul style="list-style-type: none"> • Blade wings • Back drag edge • Curb guards • Snow deflector • Emergency parts kit

Find out which PRO PLUS snow plow is right for your truck at westernplows.com/quickmatch

PRO-PLOW® SERIES 2

STAKE YOUR REPUTATION ON IT.

When your customers are counting on you, you can count on the WESTERN® PRO-PLOW® Series 2 snowplow, one of the best-selling straight blades in the business. With the PRO-PLOW Series 2 on the front of your truck, you've got your customer's back.



BIGGER. TOUGHER. WESTERN®.

Built for trucks in the 14,000-27,000 GVW range, the 10' wide WESTERN HEAVYWEIGHT is our heaviest duty truck plow. This snowplow delivers the durability you need and the strength you demand to make short work of large parking lots and local streets.

HEAVYWEIGHT



AVAILABLE IN POLY

The slick surface of the POLY PRO-PLOW Series 2 is made from thermal-formed, high-density polyethylene to provide superior snow-rolling action for plowing efficiency. The poly surface is rust-proof and maintenance-free. The 7' 6" and 8' blades are available in both powder coated steel and poly. The 8' 6" blade is available in steel only.

TRIP BLADE PROTECTION WITH SHOCK ABSORBER

Trip blade features four heavy-duty coil springs and a shock absorber to soften blade return.



BLADE SHOES ARE STANDARD


They extend cutting edge and base angle life when plowing rough surfaces.

RUBBER SNOW DEFLECTOR

Helps keep snow off your windshield. It's standard with poly blade models; optional with steel blades.

TRIP BLADE PROTECTION WITH SHOCK ABSORBER

Trip blade features four heavy-duty coil springs and a shock absorber to soften blade return.



HEAVY-DUTY CUTTING EDGE

1 1/2" thick x 6" tall AASHTO punched carbon steel cutting edge is standard.

TRIP BLADE PROTECTION WITH SHOCK ABSORBERS

Two shock absorbers and six trip return springs help protect the plow and truck when striking an obstacle.

UniMount® MOUNTING SYSTEM

The mechanical attachment system quickly attaches and detaches.

OPTIONAL ACCESSORIES

- Emergency parts kit

FLEET FLEX

ELECTRICAL SYSTEM



OPTIONAL ACCESSORIES

- Snow deflector
- Shoe kit
- Back drag edge
- Curb guards
- Rubber cutting edge
- Emergency parts kit



UltraMount® 2

Fast, easy and fully mechanical mounting system for hassle-free hookup.

MIDWEIGHT™

BIG PERFORMANCE SIZED RIGHT FOR YOUR TRUCK.

Push back on winter with the 7' 6" WESTERN® MIDWEIGHT™ commercial snowplow. It's lean, nimble and provides plenty of muscle. Delivering rugged, pro performance without the extra weight, this plow is built for light commercial use with a "bring it on" attitude. Available in powder coated steel or poly.



MIDWEIGHT STEEL PLOW SHOWN

HTS™

PUT YOUR HALF-TON TRUCK TO WORK.

The full-sized, full-featured 7' 6" WESTERN® HTS™ half-ton snowplow is built for today's half-ton 4WD pickups. The HTS plow delivers professional results for your personal and light commercial snowplow jobs.



HTS STEEL PLOW SHOWN

HIGH-STRENGTH STEEL BASE CHANNEL

Provides extra support at the base of the blade.

REINFORCED PLOW BLADE

Six vertical ribs and horizontal POWER BAR provide reinforcement and strength.

HYDRAULIC SCRAPE LOCK

Hydraulically locks the blade down for enhanced scraping and clean back dragging performance.

REINFORDED PLOW BLADE

Six vertical ribs and horizontal POWER BAR provide structural reinforcement.

TRIP BLADE PROTECTION

The two-spring trip blade protects your plow and truck when the plow strikes an obstacle.

ONE-SIDE HOOKUP

The UltraMount® system is fast and easy.

OPTIONAL ACCESSORIES

- Snow deflector
- Shoe kit
- Back drag edge
- Curb guards
- Emergency parts kit

SECURITY GUARD™

Anti-theft system renders plow inoperable to unauthorized users.

FLEET FLEX

Electrical system provides true fleet interchangeability.

FLEET FLEX

ELECTRICAL SYSTEM

Fast, easy and fully mechanical mounting system for hassle-free hookup.

UltraMount® 2

ELECTRICAL SYSTEM

Anti-theft system provides true fleet interchangeability.



UltraMount[®] 2


THE FAST, EASY ATTACHING SYSTEM.

The UltraMount[®] 2 system is designed for fast and easy attach and detach. It features a more robust one-piece design and is 100% compatible with existing mounts and electrical platforms.



SIMPLE MECHANICAL SYSTEM

No hydraulic or electrical components to fail, and no tools required.



QUICK AND EASY ATTACHMENT

Drive into the extra-wide flared receiver brackets. Pull the shoe handle up, pull the lock pin and rotate the handles up. Repeat on the other side and plug in the electrical connections. That's it!



EXCLUSIVE ROTATING PIVOT BAR

The patented PIVOT BAR keeps the attaching points level even when the blade is not, for accurate drive-in alignment. It also allows the blade to pivot while plowing on uneven terrain for a cleaner scrape and more even cutting edge wear.



REMOVABLE RECEIVER BRACKETS

Quickly maximize vehicle ground clearance in the off-season. No tools required.

CHAIN LIFT SYSTEM



THE MECHANICAL ADVANTAGE

The WESTERN[®] UltraMount[®] 2 system features a simple mechanical chain lift. This provides instantaneous float so the blade can freely follow the contours of uneven ground for a cleaner scrape.

The chain lift allows WESTERN plows to stack higher than plows with cylinder lift systems, which are limited by the range of the hydraulic ram stroke.

And in the rare event of a hydraulic failure, you can push the plow into a snow bank, and easily "short chain" the plow for emergency transport.

FLEET FLEX Electrical System

ONE TRUCK. ONE CONTROL. ANY PLOW.

The FLEET FLEX electrical system provides true fleet interchangeability among current UltraMount® and UltraMount® 2 mounted snowplows.

The same hand-held control or joystick can operate all WESTERN® commercial grade snowplows.

Features include:

- PROGRAMMABLE "SOFT-STOP"
- PROGRAMMABLE "ONE-TOUCH" FLOAT
- BUILT-IN SECURITY GUARD™ ANTI-THEFT SYSTEM

FLEETFLEX ELECTRICAL SYSTEM

SECURITY GUARD ANTI-THEFT SYSTEM



The exclusive WESTERN SECURITY GUARD snowplow anti-theft system is a safe and secure way to electronically "lock" your snowplow when it is detached from your truck. It electronically synchronizes your snowplow control and plow module. When activated, it disables the electrical control system and renders the plow inoperable to unauthorized users.

NIGHTHAWK™

LOW-BEAM HALOGEN HEADLAMP ILLUMINATION.

Low-profile, dual-beam halogen headlamps feature combination park and turn signal lights that conform to federal safety standards. Vehicle light switch activates plow lights; no separate in-cab switch needed.



STATE-OF-THE-ART REFLECTOR OPTICS	WATERTIGHT ADHESIVE BOND
Provide a smooth, wide beam pattern with minimal glare.	Seals out water between the lens, reflector and housing to prevent freezing damage.

ROBUST TWO-STUD MOUNTING	H13 LONG-LIFE HALOGEN BULB
Keeps headlamps firmly in place, even under the harshest shock and vibration forces.	Has an average life of 1,500 hours, and is easy to replace through a simple three-screw bulb access cover.

ULTRAFINISH™ POWDER COAT WITH EPOXY PRIMER

THE INDUSTRY'S BEST PROTECTION AGAINST WEAR AND RUST.



CABCOMMAND CONTROL

- Power "on" and "float" LED
- Backlit for night operation
- Coil cord for easy mobility



UNIVERSAL CONTROL OPTIONS

Choose between the CabCommand hand-held control or joystick control for efficient, precise and intuitive blade control while plowing.

JOYSTICK CONTROL

- Power "on" and "float" LED
- Backlit for night operation
- Compact to fit anywhere
- Plug-in connector for easy removal



ISOLATION MODULE

This advanced snowplow light and electrical system features improved electrical pins in the harness plugs for trouble-free connections. An under-hood module improves system life and complies with OEM requirements. No toggle switch is needed to change from vehicle to plow lights.



ULTRAFINISH™

Protect Your Investment With Original WESTERN® Parts & Accessories



Ensure your WESTERN® plow and ice removal equipment remains efficient and reliable season after season with Factory Original parts and accessories from your local WESTERN dealer. Using "will-fit" alternatives can alter your plow's performance and may affect your product warranty. Stick with WESTERN® for the parts and accessories you need. It's the smart choice for protecting your investment.



BACK DRAG EDGE

Ensure a clean scrape, every time, when you back drag. Angled to maximize back dragging, the WESTERN® back drag edge is constructed to be as rugged and durable as every other component of your plow. Easy to install and easy to use, a back drag edge is a key tool in any snowfighter's kit.



POLY SNOW DEFLECTOR

This heavy-duty poly snow deflector is curved to improve snow containment and Roll-Action™. It's constructed of high density polyethylene material and vacuum formed with integral ribs to ensure structural integrity. Each deflector includes clamping bars and curl braces.



RUBBER SNOW DEFLECTOR

Control the snow and always see where you're going with optional deflectors. The 2-ply rubber snow deflectors include bolt-on steel plates to ensure proper positioning of the deflectors to keep your view clear and clean.



PLOW WINGS

Get more jobs done faster with wings. These plow wings increase the overall plowing width by one foot, add up to 30% more carrying capacity, and minimize snow spill-off. Made of 12-gauge steel with high strength steel ribs, these durable wings attach quickly and easily with a single pin.



CURB GUARDS

Go right up to the edge with bolt-on curb guards. Protect the outer edge of your snowplow from wear when plowing along sidewalks and curbs. Made of cast metal, each curb guard effectively protects the outer edge of the plow.



SHOE KIT

Protect your plow and the road. Ride above the uneven surfaces of gravel and dirt with plow shoes. The cast iron construction and shape ensures that your plow glides over gravel and dirt at the perfect height. Bolt-on shoe kit extends cutting edge and base angle life when plowing on rocky or abrasive surfaces.



SNOWPLOW EMERGENCY PARTS KIT

Be prepared! These handy parts kits provide the high volume, Factory Original parts needed for emergency snow plow repairs. Packed in an easy-to-store WESTERN factory original nylon duffle bag.



WESTERN® BLADE GUIDES WITH FLAGS

These attractive blade guides with replaceable flags help improve operator visibility and plow blade positioning.



PAINT

Time to touch up your WESTERN snowplow blade or black iron? Available in spray or quart cans, in red or black, top coat or the primer-based under coat, these Factory Original paints provide durable coverage and are formulated to match your original equipment.

STEEL CUTTING EDGES

These 1/2" thick cutting edges fit the same hole pattern as the cutting edge that comes standard on your Factory Original blade. Fits most models.

Western Products Offers a Full Line of Snow & Ice Control Equipment

PILE DRIVER™ CONTAINMENT PLOW

For the really big jobs, WESTERN® offers a full line of heavy-duty containment plows designed to move maximum yards of snow in minimal time. The PILE DRIVER™ containment plow attaches quickly and easily to either a skid-steer, backhoe or wheel loader. They are available in widths from 8' to 16'. See our separate containment plow sell sheet for more details.



PRO-FLO™ 900 Tailgate Spreader

TAILGATE AND WALK-BEHIND SPREADERS

WESTERN offers a full line of tailgate spreaders and walk-behind models.

See our separate Spreaders brochure for more details.

Plow Type	Blade Width	Blade Height	Blade Gauge	Blade Spacing	Stock Spacing	Angling Rams	Plowing Width (less than)	Approx. Weight (less than)	Disc Shoes	Cutting Edge
HTS™	7' 6"	27	14	2	-	6	1½" x 8"	6' 7"	412 lb	optional
MIDWEIGHT™	7' 6"	27	14	2	-	6	1½" x 10"	6' 6"	540 lb	optional
MIDWEIGHT POLY	7' 6"	27"	14" poly	2	-	6	1½" x 10"	6' 6"	552 lb	optional
PRO-FLOW™ Series 2	7' 6"	29"	11	4	1	7	1½" x 10"	6' 6"	653 lb	cast iron
PRO-PLUS™ Series 2	8'	29"	11	4	1	7	1½" x 10"	6' 11"	668 lb	cast iron
PRO-FLOW™ Series 2	8' 6"	29"	11	4	1	7	1½" x 10"	7' 4"	686 lb	cast iron
PILE PRO-FLOW™ Series 2	7' 6"	29"	38" poly	4	1	7	1½" x 10"	6' 6"	677 lb	cast iron
PILE PRO-FLOW™ Series 2	8'	29"	38" poly	4	1	7	1½" x 10"	6' 11"	690 lb	cast iron
PRO PLUS™	8'	31½"	12	4	2	8	1½" x 12"	6' 11"	805 lb**	cast iron
PRO PLUS™	8' 6"	31½"	12	4	2	8	1½" x 12"	7' 4"	821 lb**	cast iron
PRO PLUS™	9'	31½"	12	4	2	8	1½" x 12"	7' 9"	837 lb**	cast iron
HEAVYWEIGHT	10'	33"	7	6	2	6	2" x 16"	8' 8"	1106 lb	cast iron
Plow Type	Blade Width	Blade Height	Blade Gauge	Blade Spacing	Stock Spacing	Angling Rams	Plowing Width (less than)	Approx. Weight (less than)	Disc Shoes	Cutting Edge
PRODIGY™	9' 8" scoop 8' retacted 8' expanded 8' 10" scoop	29½"	12	4	optional	8	1½" x 10"	7' 10" full angle 8' 7" scoop	880 lb**	optional
WIDE-OUT™	29"	12	4	-	6	1½" x 10"	7' 2" retracted* 7' 1" scoop	940 lb	optional	1½" x 6" blade 1½" x 8" poly wing
MWP PLUS™	7' 6"	29"	14	4	-	6	6' 6" full angle 6' 5" scoop	827 lb	optional	38" x 6"
MWP PLUS	8' 6"	29"	14	4	-	8	7' 1" full angle 7' 7" scoop	880 lb	optional	38" x 6"
MWP PLUS	9' 6"	31"	14	6	-	8	8' 3" full angle 8' 7" scoop	988 lb	optional	12' x 6"
MWP PLUS Poly	7' 6"	29"	14" poly	4	-	6	6' 6" full angle 6' 5" scoop	799 lb	optional	38" x 6"
MWP PLUS Poly	8' 6"	29"	14" poly	6	-	8	7' 1" full angle 7' 7" scoop	847 lb	optional	38" x 6"
MWP PLUS Poly	9' 6"	31"	14" poly	4	-	6	13½" x 11"	964 lb	optional	12' x 6"
MWP 3™	7' 6"	37" d/end 31" hinge	14	4	-	6	13½" x 11"	6' 7" full angle 6' 7" scoop	885 lb	optional
MWP 3	8' 6"	36" d/end 31" hinge	14	4	-	8	13½" x 11"	7' 5" full angle 7' 2" scoop	940 lb	optional
MWP 3	9' 6"	39" d/end 31" hinge	14	6	-	8	13½" x 11"	8' 15" full angle 8' 8" scoop	1022 lb	optional
MWP 3 Poly	8' 6"	36" d/end 31" hinge	14" poly	4	-	8	13½" x 11"	7' 5" full angle 7' 8" scoop	890 lb	optional
MWP 3 Poly	9' 6"	39" d/end 31" hinge	14" poly	6	-	8	13½" x 11"	8' 6" full angle 8' 7" scoop	972 lb	optional
MWP 3 SS	7' 6"	37" d/end 31" hinge	14	4	-	6	13½" x 11"	6' 7" full angle 6' 4" scoop	885 lb	optional
MWP 3 SS	8' 6"	38" d/end 31" hinge	14	4	-	8	13½" x 11"	7' 5" full angle 7' 8" scoop	940 lb	optional
MWP 3 SS	9' 6"	39" d/end 31" hinge	14	6	-	8	13½" x 11"	8' 6" full angle 8' 7" scoop	1022 lb	optional
Plow Type	Blade Width	Side Plate	Snow Capacity	Approx. Weight (less than)						
Skid-Steer	8'	36" x 36"	7 yd	710 lb						
SID-STEER	10'	36" x 36"	9 yd	790 lb						
BACHNIE	10'	36" x 36"	9 yd	1030 lb						
BACHNIE	12'	36" x 36"	11 yd	1150 lb						
WHEEL LOADER	12'	48" x 48"	15 yd	1680 lb						
WHEEL LOADER	14'	48" x 48"	18 yd	1815 lb						
WHEEL LOADER	16'	48" x 48"	21 yd	1950 lb						

*At full angle. **Deduct approximately 40 lb for skid-steer model. PRODIGY™ and PRO PLUS™ are available with a universal skid-steer loader mounting plate. UltraMount® 2 mount weight range: 28 to 145 lb. HEAVYWEIGHT™ plows are available with the UltraMount® system. HTS™ is available with UltraMount® system.

Ice Control Equipment

Quality ice control equipment is essential to providing the conditions your customers demand.



Tornado™ Hopper Spreader

HOPPER SPREADERS

For large areas, the performance of a WESTERN hopper spreader can't be beat. Choose from poly or stainless steel models.

**WESTERN**

Western Products | P.O. Box 245038 | Milwaukee, WI 53224-9538

TWO WINTER WARRANTYMore jobs. Done faster. | www.westernplows.com |

Western Products reserves the right under its product improvement policy to change construction or design details and furnish equipment when so altered without reference to illustrations or specifications used. Western Products or the vehicle manufacturer may require or recommend optional equipment for snow removal. Do not exceed vehicle ratings with a snowplow. This product is manufactured under the following U.S. patents: 5,638,618; 5,899,007; 6,145,222; 6,209,231; 6,253,470; 6,408,549; 6,412,199; 6,526,677; 6,711,837; 6,928,757; 7,134,227; 7,400,058; 7,430,821; 7,737,576; CAN patents 2,184,922; 2,229,783; 2,354,257; 2,358,145; 2,358,354; 2,639,052; and other patents pending. Western Products offers a limited warranty for all snowplows and accessories. See separately printed page for this important information. The following are registered (®) or unregistered (™) trademarks of Douglas Dynamics, L.L.C.: CONTRACTOR GRADE®, HTS™, MIDWEIGHT™, MVP 3™, MVP PLUS™, NIGHTHAWK™, PILE DRIVER™, POLY PRO-PLOW® Series 2, PRODIGY™, PRO-FLOT™ 900, PRO-PLOW® Series 2, PRO PLUS®, Roll-Action™, SECURITY GUARD™, Tornado™, ULTRAFINISH™, UltraMount®, UltraMount® 2, UniMount®, WESTERN® and WIDE-OUT™.

